Wyeth Research

401 North Middletown Road BH 21-127 Pearl River, NY 10965

Dennis J. Foley, Ph.D.

Vice President Worldwide Regulatory Affairs

Wyeth

January 31, 2005

Mr. John Becher Centers for Disease Control/Drug Service, D-09 1600 Clifton Road Atlanta, GA 30333

COL John D. Grabenstein, RPh, Ph.D. Deputy Director for Military Vaccines U.S. Army Medical Command 5111 Leesburg Pike (Suite 401) Falls Church, VA 22041-3258

Re: STN 101106/5060 - Smallpox Vaccine, Dryvax® Extension of Dating

Dear Mr. Becher and COL Grabenstein:

Please note that Wyeth received approval on January 31, 2005 for BLA supplement 101106/5060 for a three-month extension of dating for the following lots of Smallpox Vaccine Dryvax® kits:

Packaged Lot	Current Expiration	New Expiration
Number	Date	Date
4020076	January 2005	April 2005
4020077	January 2005	April 2005
4030020	February 2005	May 2005

Please note that the storage period of the vaccine after reconstitution with diluent continues to be 90 days.

Sincerely yours,

Dennis J. Foley, Ph.D.

Menis & Fre

DJF:jm

cc: D. Staten (CBER)

D. Yeskey (CDC)